DOCKET FILE COPY ORIGINAL

MOKET FILE COM OBIOINAL

RECEIVED

Before the F<u>EDERAL</u> COMMISSION

JUN - 2 1993

星二.	
As .	
·	
<u> </u>	
and a	
<u> </u>	
<u></u>	
7	
Y	
- B- ,	
Chr.	
Stran	
w.	
7	
)	
······	
ā	
·	
is the state of th	
: '	
·	
}	
24 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
k a ·	
<u></u>	
	•
<u>. </u>	
<i>I</i>	
-	

The steahed amendment avenues shares of shares on the nart

Since both applications may ultimately be granted, no considerations involving Section 307(b) of the Communications Act are involved.

The public interest, convenience, and necessity will be served by acceptance and grant of the enclosed application.

Respectfully submitted,

POSITIVE ALTERNATIVE RADIO, INC.

Bv

Julian P. Freret

Its Counsel

BOOTH, FRERET & IMLAY 1233 20th Street, N. W. Suite 204 Washington, D. C. 20036 (202) 296-9100

June 2, 1993

Federal Communications Commission Washington, D. C. 20554

FOC 340

Approved by CMS
3000-0034
Expires 11/30/94
See Page 23 for information
regarding public burden estimate

APPLICATION FOR CONSTRUCTION PERMIT FOR NONCOMMERCIAL EDUCATIONAL BROADCAST STATION

(Carefully read instructions before filing form) Return only form to FCC

			For Commission Use Only	
	Section ! ~ GENERAL INFORMATION		File No.	
		, , , , , , , , , , , , , , , , , , ,		
	<u> </u>	-		
	A CONTRACTOR OF THE CONTRACTOR			
	100			
			3	
	iF (
	<u> </u>			
	1-1 -1			
			,	
	<u> </u>			
	¹ † -			
	18 Lav-			
\	· 6			
	£			
	<u></u>			
	<u>, </u>			
	75			

SECTION VI - EQUAL EMPLOYMENT OPPORTUNITY PROGRAM

BECTION VI - EGGLE EMPLOYMENT OFFORTUNITY PROGRAM		
1. Does the applicant propose to employ five or more full-time employees?	Yes	X No
If Yes, the applicant must include an EEO program called for in the separate Broadcast Equal Employment Opportunity Program Report (FCC 395-A).		
SECTION VII - CERTFICATION		
1. Has or will the applicant comply with the public notice requirements of 47 C.F.R. Section 73.3580?	Yes	□ No
2. By checking Yes, the applicant certifies that, in the case of an individual applicant, he or she is not subject to a denial of federal benefits that includes FCC benefits pursuant to Section 5301 of the Anti-Drug Abuse Act of 1988, 21 U.S.C. 862, or, in the case of a non-individual applicant (e.g., corporation, partnership or other unincorporated association), no party to the application is subject to a denial of federal benefits that includes FCC benefits pursuant to that section. For the definition of a "party" for these purposes, see 47 C.F.R. Section 1.2002(b).	Yes	□ №
The APPLICANT hereby waives any claim to the use of any particular frequency as against the regulatory power	of th	e United
States because of the previous use of the same, whether by license or otherwise, and requests an authorization with this application. (See Section 384 of the Communications Act of 1934, as awarded.)	in sc	cordance
The ADD ICANT economistage that all the eleternante made in this confliction and attached sublice are consider	danad	metaciai

The APPLICANT acknowledges that all the statements made in this application and attached exhibits are considered material representations, and that all exhibits are a material part hereof and incorporated herein.

The APPLICANT represents that this application is not filled for the purpose of impeding, obstructing, or delaying determination on any other application with which it may be in conflict.

In accordance with 47 C.F.R. Section 1.65, the APPLICANT has a continuing obligation to advise the Commission, through amendments, of any substantial and significant changes in information furnished.

WILLFUL FALSE STATEMENTS MADE ON THIS FORM ARE PUNISHABLE BY FINE AND/OR IMPRISONMENT (U.S. CODE, TITLE 18, SECTION 1001), AND/OR REVOCATION OF ANY STATION LICENSE OR CONSTRUCTION PERMIT (U.S. CODE, TITLE 47, SECTION 312(AX1)), AND/OR FORFEITURE (U.S. CODE, TITLE 47, SECTION 503).

I certify that the statements in this application are true and correct to the best of my knowledge and belief, and are made in good faith.

Name of Applicant	Thie
POSITIVE ALTERNATIVE RADIO, INC.	Director
Signature	Date
Vernon H. Baker	May 26, 1993

FCC NOTICE TO INDIVIDUALS REQUIRED SY THE PRIVACY ACT AND THE PAPERWORK REDUCTION ACT

The solicitation of personal information requested in this application is authorized by the Communications Act of 1934, as amended. The Commission will use the information provided in this form to determine whether grant of this application is in the public interest. In reaching that determination, or for law enforcement purposes, it may be necessary to refer personal information contained in this form to another government agency. In addition, all information provided in this form will be available for public impection. If information requested on the form is not provided, processing of the application may be delayed or the application may be returned without action pursuant to the Commission's rules. Your response is required to obtain the requested authority.

Public reporting burden for this collection of information is estimated to very from 78 to 302 hours 20 minutes with an everage of 171 hours 35 minutes per response. These estimates includes the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Comments regarding this burden delimate or any other aspect of this collection of information, including suggestions for reducing the burden, can be sent to the Federal Communications Commission, information Resources Branch, Room 416, Paperwork Reduction Project, Washington, D.C. 20554, and to the Office of Management and Budget, Paperwork Reduction Project (3060-0034), Washington, D.C. 20503.

THE FOREGOING NOTICE IS REQUIRED BY THE PRIVACY ACT OF 1974, P.L. 93-579, DECEMBER 81, 1974, 5 U.S.C. 552a(eX3), AND THE PAPERWORK REDUCTION ACT OF 1880, P.L. 98-511, DECEMBER 11, 1880, 44 U.S.C. 3507.

ENGINEERING EXHIBIT EE-6

POSITIVE ALTERNATIVE RADIO, INC. ASHEBORO, NORTH CAROLINA

MAY, 1993

ENGINEERING AMENDMENT IN SUPPORT OF AN APPLICATION FOR A NON-COMMERCIAL FM BROADCAST STATION

POSITIVE ALTERNATIVE RADIO, INC. ASHEBORO, NORTH CAROLINA

TABLE OF CONTENTS

- 1. Statement of Engineer
- 2. Engineering Discussion
- 3. F.C.C. Form 340, Section V-B
- 4. Figure 1 Channel 208C Computer Study
- 5. Figure 2 Topographic Map
- 6. Figure 3 Plot of Horizontal Relative Field Pattern
- 7. Figure 4 Tabulation of Horizontal Relative Field Pattern & Distances
 To Proposed Contours.
- 8. Figure 5 Proposed Contour
- 9. Figure 6 Allocation Map To WCPE
- 10. Figure 7 Allocation Map To Proposed Winston-Salem (207C3)
- 11. Figure 8 Computer Interference Study To WCPE
- 12. Figure 9 Computer Interference Study To Winston-Salem
- 13. Figure 10 Tower Sketch
- 14. Figure 11 RF Statement

I, PETER V. GURECKIS, certify that I am a Consulting Radio Engineer,

that my qualifications are known to the Federal Communications Commission and

that my firm has been retained by POSITIVE ALTERNATIVE RADIO, INC.,

Asheboro, North Carolina, to prepare this statement.

I further state that the calculations and exhibits contained herein were

prepared by me personally or under my direction and that all facts contained

therein are true of my knowledge except where stated to be on information or

belief, and as to those facts, I believe them to be true.

PETER V. GURECKIS

PETER V. GURECKIS & ASSOCIATES

it h Jundi

DATE: MAY 25, 1993

ENGINEERING STATEMENT

POSITIVE ALTERNATIVE RADIO, INC. ASHEBORO, NORTH CAROLINA

This Engineering Amendment has been prepared on behalf of POSITIVE ALTERNATIVE RADIO, INC., who now has on file an application requesting a non-commercial FM broadcast station to operate on Channel 207A with an effective radiated power of 2.5 KW at Asheboro, North Carolina (File No. BPED-911119MC).

The purpose of this amendment is to change channel from 207 to 208 in order to remove the overlap with the application of Triad Family Network, Inc. (Triad) proposal for Channel 207 at Winston-Salem, North Carolina.

With the proposed channel change to 208 and a new antenna site, the application of Positive Alternative Radio, Inc. (Positive) does not overlap the 60 dbu protected contour of Triad with its proposed 54 dbu contour. Also, Triad's 54 dbu contour does not overlap Positive's 60 dbu contour. Thus, both applications are no longer mutually exclusive with each other.

A new antenna site was selected for Positive to comply with the minimum distance separations on Channel 208 and the three upper and lower adjacent channels.

Attached as Figure 1 is a channel study of Channel 208A. It shows the required protections to the co-channel and adjacent channel stations.

In order to protect stations WCPE (application to increase HAAT), and the proposed Channel 207 at Winston-Salem, a directional antenna is proposed.

ENGINEERING STATEMENT POSITIVE ALTERNATIVE RADIO, INC. - ASHEBORO, NORTH CAROLINA CONTINUED - PAGE 2

Figure 3 is a plot of the proposed composite horizontal directional relative field pattern. The proposed directional antenna will be side mounted on an existing tower as shown on Figure 10.

The antenna manufacturer will be provided with the required mounting specifications for the tower structure and the location of other antennas in the vicinity, which may have an impact on the measured directional antenna. The measured pattern will be within the limits of the proposed composite pattern.

A licensed surveyor will be employed to check the FM antenna orientation which will be filed in the 302 application.

Objectional intermodulation interference is not expected to result from the proposed operation to any stations. There are no FM or TV facilities located within 60 meters of the proposed site. Further, the applicant will accept full responsibility to resolve any complaints within its blanket contour.

Figures 6 and 8 is the allocation study to Station WCPE which has an application to increase its HAAT. It will be noted that no overlap results to Station WCPE.

Figures 7 and 9 is the allocation study to the proposed Channel 207C3 at Winston-Salem. There is sufficient separation of the proposed Winston-Salem 60 dbu contour and the proposed 54 dbu contour so that no overlap occurs between two applicants.

Attached are Figures 1 through 11 and Section V-B of F.C.C. Form 340.

					FOR COMMISSI	ON USE ON	LY		
Section V-B - FM BROADCAST ENGINEERING				File No.					
		GINEERING DA	TA	ASB Referral C	Date				
			1	Referred by					
Name of Applic	ant								
	POSITIV	E ALTERN	IATIVE RADI	O, INC	•				
Call letters lif	issuedl		ts this applicat	tion being	filed in response	to a windo	w?	Yes	X No
			If Yes, specif	y closing a	iate:				
Purpose of App	plication: Leheck	appropriate box	(es))						
X Constr	uct a new (main)	facility		Cor	nstruct a new au:	xiliary facility	,		
Modify	existing construc	tion permit for	r main facility	Mo	dify existing con	struction pe	mit for a	uxiliary	facility
Modify	r licensed main fac	citity		Mo	dify licensed aux	iliary facility			
If purpose is to	o modify, indicate	below the nat	ure of change(s) a	nd specify	the file number(s) of the au	thorization	is affec	ted.
X Antenn	na supporting-struc	cture height		X Eff	ective radiated po	ower			
X Antenn	na height above ave	erage terrain		X Fre	quency				
X Antenn	na location			Clas	\$S				
Main S	Studio location			Oth	et (Summarize br	iefty)			
File Number	(s) AMENDMEN	NT TO APP	PLICATION						
1. Allocation:				 	· · · · · · · · · · · · · · · · · · ·	· ** ** ** ** ** **			
Channel No	<u> </u>	Deine in el en				Class (c.	heck only	one box	bels=}
Channel No.	City	Principal ed	County	rvea:	State	XA	☐ B1		в Пс
208	ASHEBO	ORO		OLPH	NC	☐ C2			
	<u> </u>		.1	<u> </u>		L 02	Ш 🗸	لــا	۰ ـــا ۰
2. Exact location									
(a) Specify a Cedar	iddress, city, count Rock Mountai	ly and state. If	no address, speci imately 12 kr	ify distance	and bearing relatives	ative to the	nearest to	own or	landmark.
	mountain	m, Appi ox	imatery 12 Ki	ii Soutii	west of Asi	ieboro.			
(b) Geograph	ical coordinates (t	o nearest seco	end). If mounted or	element	of an AM array,	specify coo	rdinates o	of cente	r of array.
			y South Latitude o	r East Lon	gitude where app	olicable; othe	rwise, No	orth Lati	tude or
AA621 FO	ngitude will be pro	esumed.							
Latitude	35	36	55	Longitude	79	,	53		28
<u> </u>				1			33 .		20
Is the support application(s)	-	same as that	of another station	s) or prop	osed in another	pending		X Yes	No
if Yes, give	call letter(s) or fi	ile number(s) o	r both.		K1053-153.53	3 MHz			
if proposal	involves a change	in height of a	n existing structure	e, specify	existing height a	bove ground	level inc	luding a	ntenna,
	purtenances, and li		•			.		•	,
					N/A				

SECTION V-B - FM BROADCAST ENGINEERING DATA (Page 2)

Latitude	0	· "	Longitude	0		•	
If Yes, give date a	*	sed construction? se was filed and attac Tower of Station		copy of FAA		Exhibit N / /	No.
Date		Office where filed					
runway.	s within 8 km of anto	enna site. Specify distr	ance and bearing	from structur		rest point of th	
	N/A	Dis.	idike (NI)		D00.	ing toegrees	
(a)	·			•	· · · · · · · · · · · · · · · · · · ·		
7. (a) Elevation: (to	the nearest meter)	-		•			
(1) of site abo	ve mean sea level;					296	meters
	of supporting structures, and lighting, if any	re above ground (inclu i); and	ding antenna, all	other		108	meters
(3) of the top	of supporting structu	re above mean sea lev	rei [(a)(1) + (a)(2)]	•	404	meters
(b) Height of radia	tion center: (to the	nearest meter/ H = H	orizontal; V = Ve	ertical			
(1) above grou	nd					37	meters (H
						37	meters (V
(2) above mear	n sea level [(a)(1)	+ (b)(1)]				333	meters (H
						333	meters (V
(3) above avera	age terrain					130	meters (H
						130	meters (V
in Question 7 abo	ve, except item 7(bX	upporting structure, lab 3), if mounted on an a array towers, as well a	M directional-arr	ay element,		Exhibi EE-	1
9. Effective Radiated	Power:						
(a) ERP in the hor	izontal plane			3.5	kw (H*)		
(b) Is beam tilt pro	oposed?					Y	es X No
	maximum ERP in the of radiated field.	plane of the titled be	eam, and attach as		vertical	Exhib N/	
*Polarization							

10. Is a directional antenna proposed?	X Yes No
If Yes, attach as an Exhibit a statement with all data specified in 47 CF.R. Section 73.316, plot(s) and tabulations of horizontally and vertically polarized radiated components in terms of field.	· []
11. Will the main studio be located within the 70 dBu or 3.16 mV/m contour?	X Yes No
If No, attach as an Exhibit justification pursuant to 47 CFR. Section 73.1125.	Exchibit No. N/A
12. Are there: (a) within 60 meters of the proposed antenna, any proposed or authorized FM transmitters, or any nonbroadcast lexcept citizens bend er exeteer! radio stations; or (b) with blanketing contour, any established commercial or government receiving stations, cable he facilities, or populated areas; or (c) within ten (10) kilometers of the proposed antenna, any produce receiver-induced intermodulation interfered.	thin the ead-end roposed
If Yes, attach as an Exhibit a description of any expected, undesired effects of operations and a steps to be pursued if necessary, and a statement accepting full responsibility for the elimination objectionable interference (including that caused by receiver-induced or other types of modula facilities in existence or authorized or to radio receivers in use prior to grant of this application of the facilities of the statement of the supplication of the supplicat	of any EE-6 tion) to
13. Attach as an Exhibit a 7.5 minute series U.S. Geological Survey topographic quadrangle map that clearly, legibly, and accurately, the location of the proposed transmitting antenna. This map must with the requirements set forth in Instruction D for Section V. Further, the map must clearly and display the original printed contour lines and data as well as latitude and longitude markings, as bear a scale of distance in kilometers.	comply EE-6
14. Attach as an Exhibit (name the source) a map which shows clearly, legibly, and accurately, and original printed latitude and longitude markings and a scale of distance in kilometers:	with the Exhibit No. EE-6
(a) the proposed transmitter location, and the radials along with profile graphs have been prepared	d;
(b) the 1 mV/m predicted contour and, for noncommercial educational applicants applying commercial channel, the 3.16 mV/m contour; and	s no s
(c) the legal boundaries of the principal community to be served.	
15. Specify area in square kilometers (1 sq. mi. = 2.59 sq. km.) and population (latest census) we predicted 1 mV/m contour.	ithin the
Area	
16. Attach as an Exhibit a map (Sectional Aeronautical charts where obtainable/showing the present a posed 1 mV/m (60 dbu) contours.	and pro- Exhibit No. N/A
Enter the following from Exhibit above: Gain Area N/A sq. mi	
Percent change (gain area plus loss area as percentage of present area)	

the 1 mV/m o		which the applied-for facility will be auxiliary See 47 C.F.R. Section 73.1675. (File	
rrain and cover	age data ite be calculated in accordance	eith 47 E.F.R. Section 73.3131.	
ource of terrain	n data: (check enly ene bex belee)		
Linearly inte	rpolated 30-second database	7.5 minute topographic map	
(Source:	NGDC		
Other (brie	fly summerized		
Radial bearing	Height of radiation center above average elevation of radial from 3 to 16 km	Predicted Distances to the 1 mV/m contour	
(degrees True)	(meters)	(kilometers)	
. 0	143	29.3	-
45	92	18.8	
90	113	17.6	_
135	109	26.1	_
180	90	23.9	_
225	166	31.5	_
270	164	31.3	
315	162	31.0	
		on Studies 47 C.F.R. Part 731	

If Yes, attach as an Exhibit a showing of compliance with all provisions of the Agreement between the

United States of America and the United Mexican States concerning Frequency Modulation Broadcasting

N/A

in the 88 to 108 MHz band.

20. Is the proposed antenna location within 320 kilometers of the common border between the United States and Canada?	Yes X No
If Yes, attach as an Exhibit a showing of compliance with all provisions of the Working Agreement for Allocation of FM Broadcasting Stations on Channels 201-300 under The Canada-United States FM Agreement of 1947.	Exhibit No. N/A
21. If the proposed operation is for a channel in the range from channel 201 through 220 (88.1 through 91.9 MHz), or if this proposed operation is for a class D station in the range from Channel 221 through 300 (92.1 through 107.9 MHz), attach as an Exhibit a complete allocation study to establish the lack of prohibited overlap of contours with other U.S. stations. The allocation study should include the following:	Exhibit No. EE-6
 (a) The normally protected interference-free and the interfering contours for the proposed operation along all azimuths. (b) Complete normally protected interference-free contours of all other proposals and existing stations to which objectionable interference would be caused. (c) Interfering contours over pertinent arcs of all other proposals and existing stations from which objectionable interference would be received. (d) Normally protected and interfering contours over pertinent arcs, of all other proposals and existing stations, which require study to show the absence of objectionable interference. (e) Plot of the transmitter location of each station or proposal requiring investigation, with identifying call letters, file numbers and operating or proposed facilities. (f) When necessary to show more detail, an additional allocation study will be attached utilizing a map with a larger scale to clearly show interference or absence thereof. (g) A scale of kilometers and properly labeled longitude and latitude lines, shown across the entire Exhibit(s). Sufficient lines should be shown so that the location of the sites may be verified. (h) The name of the map(s) used in the Exhibit(s). 	
22. With regard to any stations separated by 53 or 54 channels (10.6 or 10.8 MHz) attach as an Exhibit information required in 1/ (separation requirements involving intersediate frequency (i.f.) interference).	Exhibit No. EE-6
23.(a) is the proposed operation on Channel 218, 219, or 220?	Yes X No
(b) If the answer to (a) is yes, does the proposed operation satisfy the requirements of 47 C.F.R. Section 73.207?	Yes No
(c) If the answer to (b) is yes, attach as an Exhibit information required in 1/ regarding separation requirements with respect to stations on Channels 221, 222 and 223.	Exhibit No. N/A
(d) If the answer to (b) is no, attach as an Exhibit a statement describing the short spacing(s) and how it or they arose.	Exhibit No. N/A

1/ A showing that the proposed operation meets the minimum distance separation requirements. Include existing stations, proposed stations, and cities which appear in the Table of Allotments; the location and geographic coordinates of each antenna, proposed antenna or reference point, as appropriate; and distance to each from proposed antenna location.

SECTION V-B - FM BROADCAST ENGINEERING DATA (Page 6)

(e)	If authorization pursuant to 47 C.F.R. Section 73.215 is requested, attach as an Exhibit a complete
	engineering study to establish the lack of prohibited overlap of contours involving affected stations.
	The engineering study must include the following:

Exhibit No.

- (1) Protected and interfering contours, in all directions (360), for the proposed operation.
- (2) Protected and interfering contours, over pertinent arcs, of all short-spaced assignments, applications and allotments, including a plot showing each transmitter location, with identifying call letters or file numbers, and indication of whether facility is operating or proposed. For vacant allotments, use the reference coordinates as transmitter location.
- (3) When necessary to show more detail, an additional allocation study utilizing a map with a larger scale to clearly show prohibited overlap will not occur.
- (4) A scale of kilometers and properly labeled longitude and latitude lines, shown across the entire exhibit(s). Sufficient lines should be shown so that the location of the sites may be verified.
- (5) The official title(s) of the map(s) used in the exhibits(s).

24. Is the proposed station for a channel in the range from Channel 201 to 220 (88.1 through and the proposed antenna location within the distance to an affected TV Channel 6 station(s) in 47 C.F.R. Section 73.525?	
If Yes, attach as an Exhibit either a TV Channel 6 agreement letter dated and signed by both a map and an engineering statement with calculations demonstrating compliance with 47 CF. 73.525 for each affected TV Channel 6 station.	·
25. Is the proposed station for a channel in the range from Channel 221 to 300 (92.1-107.9 M	Hz)? Yes X No
If Yes, attach as an Exhibit information required in 1/. (Except for Class D (secondary) proposal:	Exhibit No.
26. Environmental Statement (See 47 C.F.R. Section 1.1301 et seq.)	
Would a Commission grant of this application come within Section 1.1307 of the FCC Rules it may have a significant environmental impact? Existing Tower	, such that Yes X No
If you answer Yes, submit as an Exhibit an Environmental Assessment required by Section 1.	1311. Exhibit No.
If No, explain briefly why not. See Figure 11 for RF Statement	

CERTIFICATION

I certify that I have prepared this Section of this application on behalf of the applicant, and that after such preparation, I have examined the foregoing and found it to be accurate and true to the best of my knowledge and belief.

Name (Typed or Printed)	Relationship to Applicant le.g., Consulting Engineeri
PETER V. GURECKIS	CONSULTING ENGINEER
Signature With Junelus	Address (Include ZIP Code) 10410 WINDSOR VIEW DRIVE POTOMAC, MARYLAND 20854-4024
Date	Telephone No. (Include Area Code)
MAY 24, 1993	(301) 299-5383

FIGURE 1

35 36 55 79 53 28	_		Current Channel		spacing			Search 05-24-	
Call	Ch#	City	Channel	State	Bear'	Dist'	R'qrd	Margin	n
AP207	207A	Asheboro		NC	17.3	17.27	72.0	-54.73	
WCPE.A	209C	Raleigh		NC	74.2	132.66	165.0	-32.34	*
>AP207	207C3	Winston-	Salem	NC	329.7	63.46	89.0	-25.54	*
WSOE	207A	Elon Coli	lege	NC	32.5	64.69	72.0	-7.31	*
WETS	208C	Johnson (City	TN	294.2	221.76	226.0	-4.24	*
>WCPE.C	209C1	Raleigh	_	NC	74.2	132.66	133.0	-0.34	*
>WCPE	209C2	Raleigh		NC	77.2	115.71	106.0	9.71	*
WWWB	262C	High Poin	nt	NC	8.7	39.72	29.0	10.72	
WXYC	207A	Chapel H	il l .	NC	67.2	82.78	72.0	10.78	
WNAA	211C3	Greensbo	ro	NC	12.0	53.03	42.0	11.03	
	<u></u>	-> '							

RCES

ELEAZER QUADRANGLE NORTH CAROLINA

7.5 MINUTE SERIES (TOPOGRAPHIC)
SW/4 ASHEBORO 15' QUADRANGLE

598 55' 1730 000 FEET 599 600 601 79 32 35	5°37′30″

	,
·	
· · · · · · · · · · · · · · · · · · ·	
	j




FIGURE 4

POSITIVE ALTERNATIVE RADIO, INC. ASHEBORO, NORTH CAROLINA

TABULATION OF RELATIVE FIELDS, HAAT, POWER AND DISTANCE TO PROPOSED CONTOURS

35 36 55 - PROPOSED

79 53 28 - ASHEBORO, N.C.


ERP Rad		kW, 5.441 HAAT	dBk kw	FM ~ 2-6 dBk	Tables Field	60 dBu.5	54 dBu.1	40 dBu.1
0	Degs.	142.9M	3.499	5.439	1.000	29.3	44.5	85.2
10	Degs.	136.4M	3.499	5.439	1.000	28.7	43.6	84.2
20	Degs.	112.7M	3.499	5.439	1.000	26.5	40.4	80.5
30	Degs.	89.1M	2.512	4.000	0.847	22.0	32.7	71.1
40	Degs.	86.7M	1.585	2.000	0.673	19.4	28.4	63.7
50	Degs.	101.4M	1.000	-0.000	0.535	18.7	27.6	60.5
60	Degs.	117.5M	0.631	-2.000	0.425	18.0	26.5	57.7
70	Degs.	125.4M	0.398	-4.000	0.337	16.3	24.4	53.6
80	Degs.	116.7M	0.398	-4.000	0.337	15.7	23.6	52.4
90	Degs.	113.4M	0.631	-2.000	0.425	17.6	26.1	57.1
100	Degs.	107.0M	1.000	-0.000	0.535	19.3	28.4	61.5
110	Degs.	105.2M	1.585	2.000	0.673	21.4	31.7	67.5
120	Degs.	101.7M	2.512	4.000	0.847	23.5	35.3	73.5
130	Degs.	105.1M	3.499	5.439	1.000	25.7	39.1	79.2
140	Degs.	112.6M	3.499	5.439	1.000	26.5	40.4	80.5
150	Degs.	108.5M	3.499	5.439	1.000	26.0	39.7	79.8
160	Degs.	103.7M	3.499	5.439	1.000	25.5	38.8	78.9
170	Degs.	100.5M	3.4.99	5.439	1.000	25.1	38.2	78.4
180	Degs.	90.1M	3.499	5.439	1.000	23.9	36.1	76.4
190	Degs.	94.5M	3.499	5.439	1.000	24.4	37.0	77.3
200	Degs.	91.5M	3.499	5.439	1.000	24.0	36.4	76.7
210	Degs.	110.1M	3.499	5.439	1.000	26.2	40.0	80.0
220	Degs.	149.4M	3.499	5.439	1.000	29.9	45.3	86.1
230	Degs.	161.3M	3.499	5.439	1.000	31.0	46.8	87.7
240	Degs.	148.1M	3.499	5.439	1.000	29.7	45.1	85.9
250	Degs.	140.4M	3.499	5.439	1.000	29.0	44.2	84.8
260	Degs.	147.2M	3.499	5.439	1.000	29.7	45.0	85.8


FIGURE 4-A

POSITIVE ALTERNATIVE RADIO, INC. ASHEBORO, NORTH CAROLINA

TABULATION OF RELATIVE FIELDS, HAAT, POWER AND DISTANCE TO PROPOSED CONTOURS

270	Degs.	164.3M	3.499	5.439	1.000	31.3	47.1	88.2
280	Degs.	159.5M	3.499	5.439	1.000	30.8	46.5	87.5
290	Degs.	166.9M	3.499	5.439	1.000	31.5	47.5	88.5
300	Degs.	161.6M	3.499	5.439	1.000	31.0	46.8	87.8
310	Degs.	163.4M	3.499	5.439	1.000	31.2	47.0	0.88
320	Degs.	162.4M	3.499	5.439	1.000	31.1	46.9	87.9
330	Degs.	164.1M	3.499	5.439	1.000	31.3	47.1	88.1
340	Degs.	166.3M	3.499	5.439	1.000	31.5	47.4	88.4
350	Degs.	157.8M	3.499	5.439	1.000	30.7	46.3	87.3








FIGURE 8

POSITIVE ALTERNATIVE RADIO, INC. ASHEBORO, NORTH CAROLINA

COMPUTER INTERFERENCE STUDY TO STATION WCPE

PROP Channel= 208

Max ERP = 3.5 kW

RCAMSL = 333 M N. Lat = 353655

W. Lng = 795328

WCPE.A- BMPED930125IH

Channel = 209

Max ERP = 100 kW

RCAMSL = 463 M N. Lat = 355625 W. Lng = 782845

Protected 60 dBu

Interfering 54 dBu

Azimuth (degrees)	ERP (kW)	TAAH (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	TAAH (m)	Dist (km)	Actual (dBu)
20.0	3.499	112.7	26.5	264.6	100.000	371.5	119.0	53.0
21.0	3.393	108.9	25.9	264.3	100.000	371.5	118.8	53.0
22.0	3.288	104.4	25.2	263.9	100.000	371.5	118.7	53.0
23.0	3.186	100.5	24.6	263.5	100.000	371.5	118.6	53.1
24.0	3.084	97.9	24.1	263.2	100.000	371.5	118.5	53.1
25.0	2.985	96.5	23.8	263.0	100.000	371.5	118.3	53.1
26.0 27.0	2.887	95.2	23.5	262.7 262.4	100.000	371.5 371.5	118.2 118.1	53.2 53.2
28.0	2.791 2.696	93.4 91.7	23.1 22.7	262.4	100.000	371.5	118.1	53.2
29.0	2.603	90.3	22.3	261.9	100.000	371.3	117.9	53.2
30.0	2.512	89.1	22.0	261.7	100.000	371.3	117.8	53.3
31.0	2.410	88.2	21.7	261.4	100.000	371.2	117.7	53.3
32.0	2.309	87.7	21.4	261.2	100.000	371.1	117.6	53.3
33.0	2.211	88.2	21.2	261.0	100.000	371.0	117.4	53.3
34.0	2.116	89.3	21.1	260.9	100.000	371.0	117.2	53.4
35.0	2.022	90.0	21.0	260.7	100.000	370.9	117.0	53.4
36.0	1.930	89.8	20.7	260.5	100.000	370.8	117.0	53.5
37.0	1.841	88.7	20.4	260.3	100.000	370.7	117.0	53.4
38.0	1.753	87.2	19.9	260.0	100.000	370.6	117.1	53.4
39.0	1.668	86.5	19.6	259.8	100.000	370.5	117.1	53.4
40.0	1.585	86.7	19.4	259.6	100.000	370.4	117.0	53.4
41.0	1.520	87.3	19.2	259.4	100.000	370.4	116.9	53.4
42.0	1.457	87.6	19.1	259.2	100.000	370.3	116.9	53.5
43.0	1.395	88.1	18.9	259.0	100.000	370.3	116.8	53.5
44.0	1.335	89.4	18.9	258.9	100.000	370.3	116.7	53.5
45.0	1.276	91.5	18.9	258.8	100.000	370.3	116.5	53.6
46.0	1.218	94.1	18.9	258.6	100.000	370.2	116.2	53.6
47.0 48.0	1.161	96.5 98.3	19.0 18.9	258.5 258.4	100.000	370.2 370.2	116.0 115.9	53.7 53.7
49.0	1.052	99.8	18.8	258.2	100.000	370.2	115.8	53.7
50.0	1.000	101.4	18.7	258.0	100.000	370.0	115.7	53.7
51.0	0.959	103.0	18.7	257.9	100.000	370.0	115.6	53.8
52.0	0.919	104.4	18.6	257.7	100.000	369.9	115.6	53.8
53.0	0.880	105.8	18.6	257.6	100.000	369.9	115.5	53.8
54.0	0.842	107.2	18.5	257.4	100.000	369.8	115.4	53.8
55.0	0.805	108.7	18.4		100.000	369.7	115.4	53.8
56.0	0.768	110.4	18.3	257.1	100.000	369.7	115.3	53.8
57.0	0.733	112.4	18.3	256.9	100.000	369.6	115.3	53.8
58.0	0.698	114.5	18.2		100.000	369.5	115.2	53.9
59.0	0.664	116.3	18.1	256.6	100.000	369.4	115.2	53.9
60.0	0.631	117.5	18.0	256.4	100.000	369.4	115.3	53.8
61.0	0.605	118.1	17.8	256.2	100.000	369.3	115.3.	53.8
62.0	0.580	118.4	17.6	256.1	100.000	369.3	115.4	53.8
63.0	0.555	118.8	17.4	255.9	100.000	369.2	115.5	53.8
64.0 65.0	0.531 0.508	119.6 120.7	17.3	255.7	100.000	369.2	115.6	53.7
02.0	0.508	120.7	17.2	255.6	100.000	369.2	115.7	53.7